




Metro SHAPE  
2014

HENNEPIN COUNTY  
**REGION DATA BOOK**  
**SOUTH OUTER-RING SUBURBS**



## ACKNOWLEDGMENTS

*Metro SHAPE 2014* was a joint project by eight public health departments: City of Bloomington Public Health Division, Carver County Public Health and Environment Division, Dakota County Public Health Department, Hennepin County Public Health, City of Minneapolis Health Department, Saint Paul-Ramsey County Public Health, Scott County Public Health, and Washington County Department of Public Health and Environment.

The Metro SHAPE project staff would like to thank the many individuals, community organizations, and subject matter experts who provided advice and support for the development of *Metro SHAPE 2014*. The project staff would especially like to thank the more than 12,000 residents of the metro region who generously took time to complete the *Metro SHAPE 2014* survey.

### Metro SHAPE 2014 Workgroup

*Project steering by one or more representatives from each participating health department*

#### City of Bloomington Public Health Division

Jim Jansen, M.P.H.  
Amanda Nagy, M.P.H.

#### Carver County Public Health and Environment Division

Samantha Downs, M.A.

#### Dakota County Public Health Department

Melanie Countryman, M.P.H.

#### Hennepin County Public Health Department

David C. Johnson, M.P.H.  
Mei Ding, M.D., M.S.  
Urban Landreman, M.S., M.B.A.

#### City of Minneapolis Health Department

Jared Erdmann, M.P.H.

#### Saint Paul-Ramsey County Public Health

SuzAnn Stenso-Velo, M.P.H.

#### Scott County Public Health

Noreen Kleinfehn-Wald, R.N., P.H.N., M.A.

#### Washington County Department of Public Health and Environment

Tommi Godwin, M.U.R.P.

### Project Implementation

*Administration and operations*

#### Joint powers agreement/fiscal agent

Saint Paul-Ramsey County Public Health

#### Project sponsors

*Local Public Health Directors*

Bonnie Paulsen, City of Bloomington  
Laura Reid, Carver County  
Bonnie Brueshoff, Dakota County  
Susan Palchick, Hennepin County  
Gretchen Musicant, City of Minneapolis  
Rina McManus, Saint Paul-Ramsey County  
Lisa Brodsky, Scott County  
Lowell Johnson, Washington County

#### Survey operations team

*Hennepin County Public Health:*

*Community Health Team*

Mei Ding, M.D., M.S.  
David C. Johnson, M.P.H.  
Urban Landreman, M.S., M.B.A.  
Amy Leite Bennett, M.P.H.  
Komal Mehrotra, M.H.S., M.S.  
Meghan Rosenkranz, M.P.H.  
Emily Thompson, M.P.H., B.S.N.

**Primary project advisor**

Ann Kinney, Ph.D., Minnesota Department of Health

**Project consultants**

Don Dillman, Ph.D., Social and Economic Sciences Research Center (SESRC) at Washington State University

Virginia Lesser, Dr.P.H., M.S., Oregon State University Survey Research Center

Todd Rockwood, Ph.D., School of Public Health, University of Minnesota

Sheldon Swaney, B.A., former Hennepin County Public Health staff member

**Community outreach and promotion**

Hennepin County Public Libraries

Multi-unit housing managers in Minneapolis and suburban Hennepin County

**Community endorsements**

Amira Adawe, Saint Paul-Ramsey County Public Health Department

Ruth Evangelista, Assumption Catholic Church

Clarence Jones, Southside Community Health Services

Mao Thao, Saint Paul-Ramsey County Public Health

Joann Usher, Rainbow Health Initiative

Stella Whitney-West, NorthPoint Health and Wellness Center

**Support staff**

Laura Majewski, Hennepin County Public Health Department

Tamara Rogers, Hennepin County Public Health Department

Gregory Sather, Hennepin County Public Health Department

**Photo credits**

Urban Landreman, Hennepin County Public Health Department

**Communications and marketing**

Howard Epstein, Dakota County Public Health Department

Noemi Alcocer, Hennepin County Human Services and Public Health Department

Bill Belknap, Hennepin County Public Health Department

Anna Welsch, Hennepin County Public Health Department

Chris Burns, Saint Paul-Ramsey County Public Health

**Survey printing and mailing**

Wilder Research

Western Graphics

Hennepin County Central Services Mail Center

**Video production**

Hennepin County Communications

**Telephone support**

Minnesota Department of Human Services  
Multi-language Referral Line

**Volunteers**

Leah Engleman

Tamara Mittelstadt

Guillaume Onyeaghala

Zahra Sheikh

Renae Smith

Jayne Young

**Funding**

Metro SHAPE 2014 is funded in part by the Minnesota Department of Health's Statewide Health Improvement Program (SHIP).

**Suggested citation**

Hennepin County Public Health Department.  
*Metro SHAPE 2014 Hennepin County Region Data Book-South Outer-Ring Suburbs*, Minneapolis, Minnesota, August 2016.

## INTRODUCTION

The 2014 Metro Survey of the Health of All the Population and the Environment, or *Metro SHAPE 2014*, is a regional, coordinated public health surveillance effort in the Twin Cities metro region of Minnesota. The project gathered data on health and factors that affect health for adults of eight participating jurisdictions, including six metro area counties (Carver, Dakota, Hennepin, Ramsey, Scott, and Washington) and three metro area cities (Bloomington, Minneapolis, and Saint Paul).

This data book, the *Metro SHAPE 2014 Hennepin County Region Data Book-South Outer-Ring Suburbs*, an extraction from the *Metro SHAPE 2014 Hennepin County Geographic Data Book*, reports data from survey respondents who live in the south outer-ring suburban area of Hennepin County.

The cities included in this region are: Bloomington and Eden Prairie.

*Metro SHAPE 2014* collected information on adults through a mixed-mode online and mail survey sent to randomly selected households. The online component was developed using Qualtrics, an online survey software program. The Hennepin County Public Health Department oversaw the data collection effort, which was supported by a contracted vendor, Wilder Research.

See the Design and methodology summary in the *Metro SHAPE 2014 Hennepin County Geographic Data Book* for more information.

The *Metro SHAPE 2014* survey collected information from adults on the following health topics, or domains:

- Overall health;
- Health care access;
- Healthy lifestyle and behaviors;
- Social-environmental factors.

The *Metro SHAPE 2014 Hennepin County Geographic Data Book* reported the results for Hennepin County as a whole along with a number of breakdowns by geography, gender, age groups, and household income.

In addition to the *Metro SHAPE 2014 Geographic Data Book*, the *Metro SHAPE 2014 Hennepin County Disparities Data Book* reports health indicators from different population groups within Hennepin County to identify health disparities. This report contains information by age, educational attainment, income, sexual orientation and

gender identity, disability status, mental health, and selected racial/ethnic groups. By analyzing health indicators by these factors, users can identify inequities in health within specific populations that are not reflected in overall reporting.

The number of persons aged 25 and older who completed the *Metro SHAPE 2014* survey is shown in Table 1.

**Table 1: Metro SHAPE 2014 Respondents' demographic characteristic (adults aged 25 and older)**

Demographic	South Outer-Ring Suburbs	Suburban Hennepin County	Hennepin County
<b>Total</b>	987	5,255	8,578
<b>Age</b>			
25-44	194	1,148	2,321
45-64	412	2,115	2,463
65+	377	1,980	1,773
<b>Gender</b>			
Male	353	1,918	3,134
Female	634	3,336	5,442
<b>Race/Ethnicity</b>			
Hispanic/Latino	6	66	137
Non-Hispanic Asian	24	137	232
Non-Hispanic US-born Black	11	86	296
Non-Hispanic White	922	4,785	7,542

The findings in this report are subject to various limitations, such as low response rate, self-selection bias, and non-response bias. In addition, one cannot directly compare the results listed in the *Metro SHAPE 2014 Data Book* with previous SHAPE or Metro Adult Health Survey data books. One reason is because previous data books reported the results for adults aged 18 and older whereas the Metro SHAPE 2014 data book reports the results for adults aged 25 and older. For assistance in interpreting these results, please contact SHAPE@Hennepin.us.

All the Hennepin County data books from the *Metro SHAPE 2014* project and previous Hennepin County SHAPE data are available at [www.Hennepin.us/SHAPE](http://www.Hennepin.us/SHAPE). Contact SHAPE@Hennepin.us for more information.

# Metro SHAPE 2014

## Overall Health

### SHAPE Region: South Outer-Ring Suburbs

In general, would you say your health is ... ?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Excellent	16.3%	18.4%	18.5%
Very Good	48.0%	45.1%	45.0%
Good	28.6%	29.7%	28.9%
Fair	6.1%	5.8%	6.6%
Poor	^1.1%	1.0%	1.0%

Thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 days	58.9%	59.0%	56.5%
1 or 2 days	17.5%	19.0%	19.4%
3 to 7 days	13.6%	13.1%	14.3%
8 to 13 days	5.3%	3.5%	3.4%
14 or more days	4.7%	5.5%	6.4%

Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 days	56.8%	56.6%	53.2%
1 or 2 days	15.7%	16.6%	17.0%
3 to 7 days	16.2%	15.2%	16.6%
8 to 13 days	5.7%	4.9%	5.4%
14 or more days	5.7%	6.7%	7.8%

Total number of unhealthy days during the past 30 days, including both unhealthy physical health and unhealthy mental health days

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 days	38.8%	39.6%	36.8%
1 or 2 days	19.0%	18.0%	17.3%
3 to 7 days	20.0%	22.4%	23.9%
8 to 13 days	11.3%	8.1%	8.7%
14 or more days	10.9%	11.9%	13.3%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Overall Health

### SHAPE Region: South Outer-Ring Suburbs

During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as work, recreation, and taking care of yourself?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 days	73.3%	75.0%	71.5%
1 or 2 days	13.7%	11.7%	13.0%
3 to 7 days	6.2%	7.6%	8.8%
8 to 13 days	*3.2%	2.0%	2.2%
14 or more days	3.6%	3.6%	4.5%

Average number of unhealthy days during the past 30 days

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Unhealthy physical health days	2.6	2.5	2.8
Unhealthy mental health days	2.8	2.9	3.2
Unhealthy physical and unhealthy mental health days	4.9	4.9	5.4
Days when poor health interfered with usual activities	1.6	1.6	1.8

Have you ever been told by a doctor or other health professional that you had ... ?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Hypertension, also called high blood pressure	20.7%	21.5%	21.1%
Borderline high blood pressure or pre-hypertension	19.6%	21.9%	21.2%
Diabetes or sugar disease	7.0%	5.9%	6.1%
Pre-diabetes or borderline diabetes	7.9%	7.9%	8.0%
High blood cholesterol	30.9%	31.5%	30.0%
Heart attack	2.2%	2.1%	2.0%
Angina or coronary heart disease	3.5%	3.1%	2.9%
Stroke	^1.2%	1.5%	1.7%
Any of the three	5.1%	5.0%	4.8%
Arthritis or rheumatism			
Among persons aged 25 and older	17.2%	19.1%	18.3%
Among persons aged 55 and older	38.3%	39.0%	39.1%
Among persons aged 65 and older	50.3%	49.8%	49.9%
Asthma			
Ever had asthma	12.4%	10.8%	11.8%
Currently has asthma	7.7%	6.4%	7.3%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Overall Health

### SHAPE Region: South Outer-Ring Suburbs

Weight status based on Body Mass Index calculation

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Underweight	*1.4%	1.2%	1.3%
Normal	40.5%	39.6%	41.4%
Overweight	36.6%	37.7%	35.5%
Obese	21.5%	21.6%	21.9%

Has a doctor or other health care professional ever told you that you should lose weight?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes, within the past year	19.2%	18.2%	17.8%
Yes, more than 1 year ago	18.6%	17.0%	16.5%
No	62.3%	64.7%	65.7%

Do you consider yourself: Overweight, about the right weight, or underweight?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Overweight	43.5%	43.1%	40.9%
About the right weight	54.1%	54.9%	56.9%
Underweight	*2.4%	2.1%	2.1%

Are you limited in any activities because of physical, mental, or emotional problems?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Among persons aged 25 and older	16.7%	17.8%	18.6%
Among persons aged 55 and older	28.0%	28.9%	30.3%
Among persons aged 65 and older	32.4%	34.4%	35.0%

Because of any impairment or health problem, do you have difficulty getting, keeping or working at a job or business?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Among persons aged 25 and older	4.9%	6.2%	7.8%
Among persons aged 55 and older	7.2%	8.9%	11.1%
Among persons aged 65 and older	8.9%	9.9%	10.7%

Because of any impairment or health problem, do you need help from another person with personal care needs such as eating, bathing, dressing, or getting around your house?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Among persons aged 55 and older	^2.0%	2.4%	3.4%
Among persons aged 65 and older	^2.9%	3.4%	4.4%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Overall Health

### SHAPE Region: South Outer-Ring Suburbs

Because of any impairment or health problem, do you need help from another person in handling routine needs such as everyday household chores, business, shopping, or getting around for other purposes?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Among persons aged 55 and older	7.0%	7.7%	8.8%
Among persons aged 65 and older	9.5%	10.9%	11.7%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)



# Metro SHAPE 2014

## Access to Health Care

### SHAPE Region: South Outer-Ring Suburbs

Do you currently have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medical Assistance, Medicare, Indian Health Services, or any plan through MNSure?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Among persons aged 25 and older	91.1%	89.8%	90.1%
Among persons aged 25 to 64	90.6%	88.7%	89.1%

During the past 12 months, did you have health insurance for the entire year, only part of the year, or were you not insured for the entire year?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Insured the entire year	88.9%	86.4%	85.2%
Insured only part of the year	10.0%	11.9%	12.6%
Uninsured the entire year	^1.1%	1.7%	2.3%

During the past 12 months how difficult has it been for you and your family to pay for health insurance premiums, co-pays, and deductibles?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Very difficult	3.7%	5.5%	5.6%
Somewhat difficult	15.6%	14.6%	15.3%
Not too difficult	28.1%	27.0%	26.7%
Not at all difficult	50.6%	50.5%	48.7%
Not applicable	*2.0%	2.4%	3.6%

During the past 12 months, was there a time you needed medical care?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Among persons aged 25 and older	64.3%	64.5%	65.0%
Among persons who needed care			
Delayed or did not get the needed care	16.9%	17.6%	18.9%
Among persons who delayed or did not get care			
Was that due to cost or lack of insurance?	62.6%	72.2%	68.9%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Access to Health Care

### SHAPE Region: South Outer-Ring Suburbs

During the past 12 months was there a time when you wanted to talk with or seek help from a health professional about stress, depression, a problem with emotions, excessive worrying, or troubling thoughts?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Among persons aged 25 and older	21.7%	21.0%	24.2%
Among persons who needed care			
Delayed or did not get the needed care	58.5%	53.4%	52.7%
Among persons who delayed or did not get care			
Was that due to cost or lack of insurance?	30.7%	43.9%	45.7%

Do you have one person you think of as your personal doctor or health care provider?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes, only one person	51.5%	50.7%	48.6%
More than one person	28.9%	30.0%	29.3%
No, no personal doctor or provider	19.6%	19.3%	22.2%

When you are sick or need medical care, where do you usually go?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Doctor's office, clinic, public health or community clinic	81.3%	80.5%	80.8%
Hospital emergency room	<sup>^</sup> 0.6%	*0.8%	1.3%
Urgent Care Center	8.6%	8.8%	7.9%
Clinic located in a drug or grocery store	2.9%	3.4%	3.0%
No usual place	4.5%	4.8%	5.3%

Do you take any prescription medication on a regular basis, other than birth control pills?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Among persons aged 25 and older	53.9%	52.2%	50.3%
Among persons aged 65 and older	85.2%	85.9%	85.3%

During the past 12 months, was there any time you skipped doses, took smaller amounts of your prescription, or did not fill a prescription because you could not afford it?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Among persons aged 25 and older who regularly take prescription medications	8.0%	8.8%	11.2%
Among persons aged 65 and older who regularly take prescription medications	*5.9%	5.0%	6.0%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

<sup>^</sup> Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Access to Health Care

### SHAPE Region: South Outer-Ring Suburbs

During the past 12 months, have you seen a doctor, nurse, or other health care professional about your own health?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	85.1%	82.8%	81.9%

Among persons who have seen a provider for their own health during the past 12 months

Did the doctor, nurse, or other health professional discuss with you or ask you about your ....?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Physical activity or exercise	73.4%	71.3%	71.4%
Diet or nutrition	54.3%	49.4%	50.6%
Weight loss or losing weight	33.1%	31.3%	31.4%
Smoking or other tobacco use	39.1%	40.1%	41.8%
Stress	39.6%	39.5%	42.1%
Alcohol use	38.9%	41.5%	42.6%

During the past 12 months, have you seen a psychiatrist, psychologist, therapist, counselor, or other mental health professional for your own health?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	10.1%	11.0%	13.8%

How long has it been since your last complete physical exam?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Within the past year	65.9%	63.1%	60.6%
Within the past 2 years	15.9%	18.7%	19.3%
Within the past 5 years	8.2%	9.9%	10.4%
5 or more years ago	8.9%	7.4%	8.6%
Never	^1.1%	1.0%	1.1%

About how long has it been since you last had your blood cholesterol checked?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Within the past year	67.4%	62.0%	59.2%
Within the past 2 years	15.0%	18.5%	18.7%
Within the past 5 years	7.3%	9.8%	10.2%
5 or more years ago	5.5%	4.9%	5.5%
Never	4.9%	4.9%	6.4%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Access to Health Care

### SHAPE Region: South Outer-Ring Suburbs

How long has it been since you last visited a dentist or dental clinic for any reason?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Within the past year	83.0%	82.9%	79.0%
Within the past 2 years	7.8%	7.8%	9.8%
Within the past 5 years	4.8%	4.8%	5.7%
5 or more years ago	3.5%	3.9%	4.9%
Never	^0.8%	^0.6%	*0.6%

Do you currently have insurance that pays for all or part of your dental care?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	80.7%	78.2%	77.8%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Healthy Lifestyles and Behaviors

### SHAPE Region: South Outer-Ring Suburbs

Yesterday, how many servings of vegetables did you eat?

A serving of vegetables is a cup of salad greens, or a half cup of any other vegetables, not including french fries.

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 servings	11.1%	9.8%	10.0%
1 serving	29.2%	25.8%	25.0%
2 servings	30.0%	31.3%	31.0%
3 or more servings	29.6%	33.1%	34.0%

Yesterday, how many servings of fruit did you eat?

A serving of fruit is one medium sized fruit, a half cup of chopped, cut, or canned fruit, or 6 ounces of 100% fruit juice.

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 servings	17.2%	13.9%	14.8%
1 serving	30.3%	30.4%	29.6%
2 servings	27.6%	31.6%	30.9%
3 or more servings	24.9%	24.1%	24.7%

Total servings of fruit and vegetables consumed yesterday

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 servings	6.1%	4.1%	4.4%
1 serving	11.0%	7.9%	8.2%
2 servings	15.6%	16.9%	16.4%
3 or 4 servings	35.2%	36.6%	35.3%
5 or more servings	32.2%	34.5%	35.7%

In a typical week, on how many days do you eat breakfast?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 days	*5.0%	3.8%	4.0%
1 or 2 days	6.9%	7.3%	7.3%
3 or 4 days	9.5%	10.5%	11.9%
5 or 6 days	16.3%	16.7%	17.0%
7 days	62.3%	61.7%	59.7%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Healthy Lifestyles and Behaviors

### SHAPE Region: South Outer-Ring Suburbs

About how often do you drink ... ?

Pop or soda (regular)

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Never	50.5%	48.7%	47.6%
Occasionally but not every week	29.3%	31.6%	32.6%
At least once per week but not daily	10.9%	10.7%	11.2%
Once per day	7.2%	5.8%	5.5%
More than once per day	*2.2%	3.1%	3.2%

Pop or soda (diet)

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Never	54.0%	51.5%	54.6%
Occasionally but not every week	18.4%	23.3%	22.4%
At least once per week but not daily	10.4%	10.7%	10.0%
Once per day	10.1%	8.5%	7.4%
More than once per day	7.1%	5.9%	5.6%

Energy drinks such as Red Bull, 5-hour Energy, or Monster

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Never	90.9%	88.4%	88.0%
Occasionally but not every week	7.4%	8.3%	8.7%
At least once per week but not daily	*1.6%	2.4%	2.3%
Once per day	^0.1%	*0.7%	*0.8%
More than once per day	0.0%	^0.2%	^0.2%

Other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Never	50.1%	46.0%	44.5%
Occasionally but not every week	26.1%	29.3%	29.6%
At least once per week but not daily	10.3%	10.8%	11.3%
Once per day	10.0%	10.0%	10.4%
More than once per day	3.5%	3.8%	4.2%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Healthy Lifestyles and Behaviors

### SHAPE Region: South Outer-Ring Suburbs

About how often do you drink ... ?

Water

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Never	^0.4%	*0.4%	0.4%
Occasionally but not every week	^1.4%	1.2%	1.1%
At least once per week but not daily	*5.4%	3.5%	3.3%
Once per day	10.5%	10.1%	9.6%
More than once per day	82.3%	84.8%	85.6%

Milk

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Never	19.5%	19.1%	20.3%
Occasionally but not every week	13.8%	15.4%	16.4%
At least once per week but not daily	23.3%	21.9%	22.4%
Once per day	29.4%	29.3%	28.0%
More than once per day	14.0%	14.3%	12.9%

Nutrition and beverage intake summary measures

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Having 2 servings or more a day of fruit	52.5%	55.7%	55.7%
Having 3 servings or more a day of vegetables	29.6%	33.1%	34.0%
Having 5 servings or more a day of fruits and vegetables	32.2%	34.5%	35.7%
Having sugar-sweetened beverage daily or more often	21.7%	21.8%	22.2%

During the past 30 days, other than your regular job, did you participate in any physical activity or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	88.5%	86.9%	85.8%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Healthy Lifestyles and Behaviors

### SHAPE Region: South Outer-Ring Suburbs

#### Level of moderate physical activity in a usual week

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Inactive (0-9 minutes per week)	1.7%	3.1%	3.6%
Insufficiently active (10-149 minutes per week)	33.6%	32.6%	32.4%
Sufficiently active (150-299 minutes per week)	28.7%	28.1%	27.1%
Highly active (≥ 300 minutes per week)	36.1%	36.1%	36.9%

#### Among persons who are at least sufficiently active (≥ 150 minutes per week)

##### Would you say you get this moderate physical activity at work or outside work?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
At work	12.7%	13.7%	14.6%
Outside of work	87.3%	86.3%	85.4%

#### Level of vigorous physical activity in a usual week

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Inactive (0-9 minutes per week)	22.6%	19.4%	19.7%
Insufficiently active (10-74 minutes per week)	28.1%	27.3%	27.2%
Sufficiently active (75-149 minutes per week)	20.7%	17.8%	18.1%
Highly active (≥ 150 minutes per week)	28.7%	35.5%	35.0%

#### Among persons who are at least sufficiently active (≥ 75 minutes per week)

##### Would you say you get this moderate physical activity at work or outside work?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
At work	*6.0%	7.8%	8.3%
Outside of work	94.0%	92.2%	91.7%

#### Healthy People 2020 physical activity guidelines

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Engaged in no leisure time physical activity	11.5%	13.1%	14.2%
Met the 150 minutes aerobic activity guideline through leisure time	74.7%	75.0%	74.2%
Met the 300 minutes aerobic activity guideline through leisure time	58.6%	58.8%	58.6%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)



# Metro SHAPE 2014

## Healthy Lifestyles and Behaviors

### SHAPE Region: South Outer-Ring Suburbs

During a typical day how many hours do you do each of the following ... ?

Use a TV to watch shows, movies, videos, or play games

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 hours	10.0%	11.3%	13.0%
1 hour	27.2%	30.6%	30.3%
2 hours	33.3%	31.6%	31.1%
3 or more hours	29.5%	26.5%	25.6%

During a typical day how many hours do you do each of the following ... ?

Talk, text, or use an app on a phone

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 hours	23.1%	22.0%	22.0%
1 hour	52.6%	53.5%	52.2%
2 hours	14.8%	15.2%	16.3%
3 or more hours	9.4%	9.3%	9.5%

During a typical day how many hours do you do each of the following ... ?

Use a computer, laptop, or tablet for work or enjoyment

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 hours	8.1%	9.4%	10.2%
1 hour	22.1%	22.3%	21.8%
2 hours	16.2%	15.9%	16.0%
3 or more hours	53.6%	52.4%	52.1%

Current smoking status

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Every day smoker	*2.4%	3.7%	4.6%
Some day smoker	*3.1%	2.5%	3.1%
Former smoker	27.8%	27.6%	27.3%
Never smoked	66.7%	66.2%	65.0%

Current smoking status

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Currently smoking	5.5%	6.2%	7.7%

Among current smokers

During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	53.2%	56.1%	59.4%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Healthy Lifestyles and Behaviors

### SHAPE Region: South Outer-Ring Suburbs

During the past 12 months have you used other tobacco products such as cigars, pipes, snuff, chewing tobacco, bidis, kreteks, snus, a hookah water pipe, or any other type of tobacco product?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	6.2%	8.6%	9.7%

Does anyone, including yourself, smoke regularly inside your home?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	*3.3%	3.5%	4.5%

In the past 7 days have you been in a car or other vehicle with someone who was smoking?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	4.0%	5.4%	6.7%

Current alcohol use

(Had at least one drink of any alcoholic beverage on one or more days during the past 30 days)

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	73.8%	75.9%	76.0%

During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 days	26.2%	24.1%	24.1%
1 to 3 days	18.2%	20.0%	19.4%
4 to 9 days	29.0%	23.1%	21.8%
10 to 19 days	11.8%	14.9%	15.8%
20 or more days	14.8%	17.8%	19.0%

During the past 30 days, on the days when you drank, about how many drinks did you have on average?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 drinks	24.7%	22.8%	22.7%
1 or 2 drinks	64.7%	63.3%	61.8%
3 or 4 drinks	8.5%	10.8%	11.8%
5 or more drinks	*2.1%	3.1%	3.7%

Among persons who are current drinkers

During the past 30 days, on the days when you drank, about how many drinks did you have on average?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
1 or 2 drinks	85.9%	82.0%	80.0%
3 or 4 drinks	11.3%	14.0%	15.3%
5 or more drinks	*2.8%	4.0%	4.7%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Healthy Lifestyles and Behaviors

### SHAPE Region: South Outer-Ring Suburbs

Among males

How many times during the past 30 days have you had 5 or more drinks on one occasion?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 times	74.1%	70.7%	67.7%
1 time	*10.4%	8.6%	9.9%
2 times	^4.8%	7.4%	7.3%
3 to 5 times	*8.6%	7.9%	8.9%
6 or more times	^2.2%	5.5%	6.2%

Among males who are current drinkers

How many times during the past 30 days have you had 5 or more drinks on one occasion?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 times	65.0%	62.8%	59.2%
1 time	14.0%	10.9%	12.5%
2 times	^6.4%	9.3%	9.3%
3 to 5 times	*11.6%	10.0%	11.2%
6 or more times	^3.0%	6.9%	7.8%

Among females

How many times during the past 30 days have you had 4 or more drinks on one occasion?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 times	84.5%	80.7%	78.7%
1 time	7.0%	8.8%	9.1%
2 times	*2.9%	3.9%	4.9%
3 to 5 times	4.1%	4.9%	5.2%
6 or more times	^1.4%	1.8%	2.2%

Among females who are current drinkers

How many times during the past 30 days have you had 4 or more drinks on one occasion?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 times	78.9%	73.7%	71.0%
1 time	9.5%	11.9%	12.3%
2 times	*4.0%	5.2%	6.7%
3 to 5 times	5.6%	6.7%	7.1%
6 or more times	^2.0%	2.5%	2.9%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## How You Feel

### SHAPE Region: South Outer-Ring Suburbs

Have you ever been told by a doctor or other health professional that you have depression?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	19.7%	20.0%	22.8%

Are you currently taking any medication that was prescribed for you to treat depression?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	10.0%	10.0%	10.6%

Among those who ever had depression

Yes	48.0%	48.3%	45.0%
-----	-------	-------	-------

Have you ever been told by a doctor or other health professional that you have anxiety?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	18.3%	18.8%	21.3%

Are you currently taking any medication that was prescribed for you to treat anxiety?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	9.4%	8.9%	9.3%

Among those who ever had anxiety

Yes	49.8%	44.9%	41.8%
-----	-------	-------	-------

During the past 30 days, about how often did you feel so sad that nothing could cheer you up?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
None of the time	72.7%	74.8%	72.4%
A little of the time	20.2%	18.3%	19.0%
Some of the time	6.0%	5.3%	6.7%
Most of the time / All of the time	^1.1%	1.6%	1.9%

During the past 30 days, about how often did you feel nervous?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
None of the time	42.8%	43.3%	41.3%
A little of the time	43.8%	39.0%	38.9%
Some of the time	11.4%	15.3%	16.7%
Most of the time / All of the time	*2.0%	2.4%	3.1%

During the past 30 days, about how often did you feel so restless or fidgety that you could not sit still?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
None of the time	69.4%	68.2%	66.3%
A little of the time	22.8%	22.0%	22.6%
Some of the time	6.9%	8.4%	9.2%
Most of the time / All of the time	^0.9%	1.5%	1.9%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## How You Feel

### SHAPE Region: South Outer-Ring Suburbs

During the past 30 days, about how often did you feel hopeless?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
None of the time	81.0%	81.0%	78.5%
A little of the time	13.5%	12.9%	14.0%
Some of the time	3.9%	4.6%	5.6%
Most of the time / All of the time	*1.6%	1.5%	1.9%

During the past 30 days, about how often did you feel that everything was an effort?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
None of the time	63.3%	59.6%	56.2%
A little of the time	25.6%	26.7%	28.2%
Some of the time	7.3%	9.3%	10.5%
Most of the time / All of the time	*3.8%	4.3%	5.1%

During the past 30 days, about how often did you feel worthless?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
None of the time	82.3%	82.1%	79.9%
A little of the time	12.3%	11.8%	12.8%
Some of the time	3.8%	4.2%	5.1%
Most of the time / All of the time	^1.7%	1.8%	2.2%

Experienced serious psychological distress during the past 30 days

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	^1.7%	2.3%	3.0%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Social-Environmental Factors

### SHAPE Region: South Outer-Ring Suburbs

How often are you involved in school, community, or neighborhood activities?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Weekly	27.4%	27.1%	26.4%
Monthly	11.5%	13.0%	13.3%
Several times a year	21.6%	22.3%	22.4%
About once a year / Less often than yearly	22.0%	20.8%	20.8%
Never	17.5%	16.8%	17.0%

How often do you get together or talk with friends or neighbors?

(This includes on the phone or online.)

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Daily	36.5%	34.8%	36.7%
Weekly	40.7%	43.1%	42.1%
Monthly	12.0%	12.4%	11.4%
Less often than monthly	7.5%	8.0%	7.8%
Never	*3.3%	1.6%	1.9%

Overall, how would you rate your neighborhood as a place to walk?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Very pleasant	72.1%	70.8%	67.0%
Somewhat pleasant	25.2%	26.3%	28.2%
Not very pleasant	^1.8%	2.2%	3.7%
Not at all pleasant	^1.0%	*0.7%	1.1%

For walking in your neighborhood, would you say the sidewalks, trails, and walking paths are:

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Very well maintained	55.7%	51.5%	52.1%
Somewhat maintained	25.0%	25.1%	29.5%
Not very well maintained /			
Not at all maintained	*5.4%	3.1%	4.6%
There are no sidewalks in my neighborhood	13.9%	20.3%	13.9%

In general, how easy is it to safely cross the streets or roads in your neighborhood?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Very easy	63.2%	62.1%	60.0%
Somewhat easy	29.8%	31.2%	33.1%
Not very easy	6.0%	5.4%	5.5%
Not at all easy	*1.0%	1.3%	1.3%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Social-Environmental Factors

### SHAPE Region: South Outer-Ring Suburbs

Please rate the extent to which you agree or disagree.

This is a good community to raise children in

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Strongly agree	75.5%	70.6%	62.3%
Somewhat agree	20.5%	24.7%	29.1%
Somewhat disagree	*3.9%	3.8%	6.4%
Strongly disagree	^0.2%	0.8%	2.1%

People in this neighborhood are willing to help one another

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Strongly agree	48.9%	48.1%	44.6%
Somewhat agree	43.8%	44.1%	45.3%
Somewhat disagree	6.7%	6.8%	8.4%
Strongly disagree	^0.6%	1.0%	1.7%

In general, how safe from crime do you consider your neighborhood to be?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Very safe	65.0%	60.4%	48.4%
Somewhat safe	31.8%	35.0%	41.2%
Somewhat unsafe	*2.7%	4.1%	8.4%
Not at all safe	^0.6%	*0.5%	2.0%

How often are you in situations where you feel unaccepted because of your race, ethnicity, or culture?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
At least once a week	^1.9%	1.7%	2.7%
Once or twice a month	*2.3%	2.6%	3.2%
A few times a year	*4.1%	7.6%	9.5%
Once a year or less often	12.4%	12.3%	14.4%
Never	79.3%	75.9%	70.2%

During the past 12 months how often did you worry that your food would run out before you had money to buy more?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Often	*1.9%	2.3%	3.2%
Sometimes	*3.8%	5.4%	7.0%
Rarely	5.5%	6.5%	7.5%
Never	88.8%	85.8%	82.3%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)

# Metro SHAPE 2014

## Social-Environmental Factors

### SHAPE Region: South Outer-Ring Suburbs

During the past 12 months, did you miss a rent or mortgage payment because you did not have enough money?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Yes	*3.1%	4.1%	5.7%

How many times have you moved in the past 2 years?

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
0 times	83.0%	83.1%	79.7%
1 time	15.1%	14.3%	15.9%
2 or more times	*1.9%	2.6%	4.4%

Do you think of yourself as ...

	<u>S Outer-Ring Suburbs</u>	<u>Suburban Hennepin County</u>	<u>Hennepin County</u>
Gay, lesbian, or homosexual/ Bisexual/Transgender	*2.4%	3.2%	6.2%

\* Estimate is potentially unreliable and should be used with caution. (Relative Standard Error is >30% and ≤ 50%)

^ Estimate does not meet criteria for statistical reliability and should be used with extreme caution. (Relative Standard Error >50%)



For more information about *Metro SHAPE 2014*, please contact [SHAPE@Hennepin.us](mailto:SHAPE@Hennepin.us).

This report and other information about *Metro SHAPE 2014* can be accessed at [www.Hennepin.us/SHAPE](http://www.Hennepin.us/SHAPE).

The *Metro SHAPE 2014* survey is funded in part by the Minnesota Department of Health's Statewide Health Improvement Program (SHIP).



**Metro SHAPE  
2014**



**Hennepin** Hennepin County  
Public Health